

Grape cultivar susceptibility to grapevine powdery mildew

Susceptibility	Wine	Table	Raisin
High	Carignane	Christmas Rose	Fiesta
	Chardonnay	Crimson seedless	Zante Currant (Black Corinth)
	Chenin blanc	Flame seedless	DOVine
	Muscat blanc (Muscat Canelli)	Marroo seedless	
	Roussane	Perlette	
		Redglobe	
		Ruby Seedless	
	Tokay		
Moderate	Barbera	Autumn Royal	Black Monukka
	Burger	Beauty seedless	Thompson seedless
	Cabernet franc	Calmeria	Muscat of Alexandria
	Cabernet Sauvignon	Cardinal	Selma Pete
	Gamey Beaujolais	Emperor	
	Grenache	Fantasy seedless	
	Malbec	Italia	
	Melon	Princess	
	Mission	Ribier	
	Muscat noir (Black Hamburg)		
	Nebbiolo		
	Pinot noir (Pinot Family)		
	Ruby Cabernet		
	Sauvignon blanc		
	Semillon		
	Syrah		
	Tempranillo (Valdepenas)		
Viognier			
Zinfandel			
Low	Alicante Bouschet	Queen	
	Dolcetto (Charbono)		
	Folle blanc		
	French Colombard		
	Gewurztraminer		
	Malvasia Bianca		
	Merlot		
	Mourvedre		
	Palomino		
	Petite Sirah (Durif)		
	Riesling		
	Sangiovese		
	Ugni blanc (Tribbiano, St. Emillon)		
	Valdiguie (Napa Gamay)		
Slight	Trousseau (Grey Riesling)		
	Rubired		

This list is based on visual observations and not scientific data. It should be used as a guide to determine relative susceptibility to powdery mildew so appropriate management strategies can be formulated.