University of **California** Agriculture and Natural Resources



UCCE/DWR Weekly Crop Water Use Report

Making a Difference for California

WEEKLY SOIL MOISTURE LOSS IN INCHES

(Estimated Crop Evapotranspiration or ET_C) 04/27/18 through 05/03/18

Crops (Leafout Date)	#1	#188 Madera II			#39 Parlier				#86 Lindcove			
	4/27 - 5/3	Accum'd	5/4 - 5/10		4/27 - 5/3	Accum'd	5/4 - 5/10		4/27 - 5/3	Accum'd	5/4 - 5/10	
	Water	Seasonal	Estimated		Water	Seasonal	Estimated		Water	Seasonal	Estimated	
	Use	Water Use	ETc		Use	Water Use	ETc		Use	Water Use	ETc	
Almonds (3/16) *	1.06	5.14	1.26		1.05	5.24	1.19		0.94	4.93	1.17	
Pistachio (4/21) * **	0.14	0.23	0.26		0.13	0.23	0.26		0.11	0.22	0.26	
Citrus (2/1)	0.99	7.57	1.05		0.97	7.65	1.05		0.87	7.38	1.03	
Raisin Grapes (3/16) (11 ft. row spacing)	0.52	1.37	0.63		0.51	1.40	0.56		0.45	1.28	0.56	
Winegrapes (3/16) (10 ft. spacing on California Sprawl Trellis)	0.52	1.75	0.63		0.51	1.74	0.56		0.47	1.65	0.56	
Walnuts (4/4)	0.82	2.09	1.05		0.80	2.09	0.98		0.72	1.97	0.98	
Stone Fruit (3/16)	0.64	2.50	0.84		0.62	2.51	0.77		0.56	2.39	0.77	
Past 7 days precipitation (inches)		0.00				0.00		_		0.00		
Accumulated precipitation (inches) (1/1/2018)		6.33				4.96				3.32		

Dates in parentheses above, indicate leaf out or starting date for ET accumulation for the specific crop

^{**} Very vigorous, non-salt affected peak season pistachio Kc can be as high as 1.19 - resulting in about 8% greater water use than shown in these tables.

PAST WEEKLY	APPLIED WATER IN INCHE	ES. ADJUSTED FOR EFFICIENCY 1

Crops		#188 Made	ra II			#39 Parlier	•		#86 Lindcove			
System Efficiency >>	65%	75%	85%	95%	65%	75%	85%	95%	65%	75%	85%	95%
Almonds (3/16)	1.6	1.4	1.2	1.1	1.6	1.4	1.2	1.1	1.4	1.3	1.1	1.0
Pistachio (4/21)	0.2	0.2	0.2	0.1	0.2	0.2	0.2	0.1	0.2	0.2	0.2	0.1
Citrus (2/1)	1.5	1.3	1.2	1.0	1.5	1.3	1.1	1.0	1.3	1.2	1.0	0.9
Raisin Grapes (3/16) (11 ft. row spacing)	0.8	0.7	0.6	0.5	0.8	0.7	0.6	0.5	0.7	0.6	0.5	0.5
Winegrapes (3/16) (10 ft. spacing on California Sprawl Trellis)	0.8	0.7	0.6	0.5	0.8	0.7	0.6	0.5	0.7	0.6	0.6	0.5
Walnuts (4/4)	1.3	1.1	1.0	0.9	1.2	1.1	0.9	0.8	1.1	1.0	0.8	0.8
Stone Fruit (3/16)	1.0	0.9	0.8	0.7	1.0	0.8	0.7	0.7	0.9	0.7	0.7	0.6

1 The amount of water required by a specific irrigation system to satisfy evapotranspiration. Typical ranges in irrigation system efficiency are: Drip, 80%-95%; Micro-sprinkler, 80%-90%; Sprinkler, 70%-85%; and Border-furrow, 50%-75%.

PAST W	VEEKLY	APPLIED	WATER IN	GALLON PER	TREE OR VINE

Crops		#188 Made	ra II			#39 Parlier	•		#86 Lindcove				
Almonds 115 Trees/A	378	331	283	260	378	331	283	260	331	307	260	236	
Pistachio 106 Trees/A	50	50	50	25	50	50	50	25	50	50	50	25	
Citrus 110 Trees/A	370	321	296	247	370	321	272	247	321	296	247	222	
Raisin Grapes 566 Vines/A	38	34	29	24	38	34	29	24	34	29	24	24	
Winegrapes 622 Vines/A	35	31	26	22	35	31	26	22	31	26	26	22	
Walnuts 76 Trees/A	464	393	357	322	429	393	322	286	393	357	286	286	
Stonefruit 172 Trees/A	158	142	126	111	158	126	111	111	142	111	111	95	
For further information concerning all counties receiving this report, contact the Fresno Co. Farm Advisor's office at (559) 241-7526.													

^{*} Estimates are for orchard floor conditions where vegetation is managed by some combination of strip applications of herbicides, frequent mowing or tillage, and by mid and late season shading and water stress. Weekly estimates of soil moisture loss can be as much as 25 percent higher in orchards where cover crops are planted and managed more intensively for maximum growth.

HEALTHY FOOD SYSTEMS • HEALTHY ENVIRONMENTS • HEALTHY COMMUNITIES • HEALTHY CALIFORNIANS

University of California Agriculture and Natural Resources



UCCE/DWR Weekly Crop Water Use Report

Making a Difference for California

WEEKLY SOIL MOISTURE LOSS IN INCHES

(Estimated Crop Evapotranspiration or ET_C) 04/27/18 through 05/03/18

Crops (Leafout Date)	#	#124 Panoche			#2 Five Points				#15 Stratford			
	4/27 - 5/3	Accum'd	5/4 - 5/10		4/27 - 5/3	Accum'd	5/4 - 5/10		4/27 - 5/3	Accum'd	5/4 - 5/10	
	Water	Seasonal	Estimated		Water	Seasonal	Estimated		Water	Seasonal	Estimated	
	Use	Water Use	ETc		Use	Water Use	ETc		Use	Water Use	ETc	
Almonds (3/16) *	1.07	5.52	1.40		1.14	6.17	1.40		1.16	6.21	1.40	
Pistachio (4/21) * **	0.13	0.25	0.33		0.15	0.27	0.33		0.15	0.27	0.33	
Citrus (2/1)	0.98	8.96	1.26		1.07	10.04	1.26		1.08	9.92	1.26	
Raisin Grapes (3/16) (11 ft. row spacing)	0.48	1.36	0.63		0.50	1.48	0.63		0.52	1.51	0.63	
Winegrapes (3/16) (10 ft. spacing on California Sprawl Trellis)	0.49	1.79	0.63		0.52	1.99	0.63		0.55	2.02	0.63	
Walnuts (4/4)	0.81	2.16	1.19		0.87	2.39	1.19		0.88	2.44	1.19	
Stone Fruit (3/16)	0.65	2.70	0.91		0.67	2.98	0.91		0.69	2.99	0.91	
Past 7 days precipitation (inches)		0.00		_		0.04		_	_	0.00		
Accumulated precipitation (inches) (1/1/2018)		2.56				3.04				1.62		

Dates in parentheses above, indicate leaf out or starting date for ET accumulation for the specific crop

^{**} Very vigorous, non-salt affected peak season pistachio Kc can be as high as 1.19 - resulting in about 8% greater water use than shown in these tables.

PAST WEEKLY APPLIED WATER IN INCHES, ADJUSTED FOR EFFICIENCY 1												
Crops		#124 Pano	che		#2 Five Points							
System Efficiency >>	65%	75%	85%	95%	65%	75%	85%	95%	65%	75%	85%	95%
Almonds (3/16)	1.6	1.4	1.3	1.1	1.8	1.5	1.3	1.2	1.8	1.5	1.4	1.2
Pistachio (4/21)	0.2	0.2	0.2	0.1	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
Citrus (2/1)	1.5	1.3	1.2	1.0	1.6	1.4	1.3	1.1	1.7	1.4	1.3	1.1
Raisin Grapes (3/16) (11 ft. row spacing)	0.7	0.6	0.6	0.5	0.8	0.7	0.6	0.5	0.8	0.7	0.6	0.5
Winegrapes (3/16) (10 ft. spacing on California Sprawl Trellis)	0.8	0.7	0.6	0.5	0.8	0.8	0.8	0.8	0.8	0.7	0.6	0.6
Walnuts (4/4)	1.2	1.1	1.0	0.9	1.3	1.2	1.0	0.9	1.4	1.2	1.0	0.9
Stone Fruit (3/16)	1.0	0.9	0.8	0.7	1.0	0.9	0.8	0.7	1.1	0.9	0.8	0.7

1 The amount of water required by a specific irrigation system to satisfy evapotranspiration. Typical ranges in irrigation system efficiency are: Drip, 80%-95%; Micro-sprinkler, 80%-90%; Sprinkler, 70%-85%; and Border-furrow, 50%-75%.

PAST WEEKLY APPLIED WATER IN GALLON PER TREE OR VINE													
Crops		#124 Panoo	che			#2 Five Poi	nts		#15 Stratford				
Almonds 115 Trees/A	378	331	307	260	425	354	307	283	425	354	331	283	
Pistachio 106 Trees/A	50	50	50	25	50	50	50	50	50	50	50	50	
Citrus 110 Trees/A	370	321	296	247	395	346	321	272	420	346	321	272	
Raisin Grapes 566 Vines/A	34	29	29	24	38	34	29	24	38	34	29	24	
Winegrapes 622 Vines/A	35	31	26	22	35	35	35	35	35	31	26	26	
Walnuts 76 Trees/A	429	393	357	322	464	429	357	322	500	429	357	322	
Stonefruit 172 Trees/A	158	142	126	111	158	142	126	111	174	142	126	111	
For further information concerning all counties receiving this report, contact	the Fresno C	For further information concerning all counties receiving this report, contact the Fresno Co. Farm Advisor's office at (559) 241-7526.											

^{*} Estimates are for orchard floor conditions where vegetation is managed by some combination of strip applications of herbicides, frequent mowing or tillage, and by mid and late season shading and water stress. Weekly estimates of soil moisture loss can be as much as 25 percent higher in orchards where cover crops are planted and managed more intensively for maximum growth.