

Derek Young¹, Becky Estes², Amarina Wuenschel², Shana Gross², Marc Meyer², Christina Restaino³, Hugh Safford^{1,2}

¹Department of Environmental Science and Policy, UC Davis

²Region 5 Ecology Program, USDA Forest Service

³Tahoe Regional Planning Agency





Density reduction treatments

Mechanical thinning, prescribed fire, managed wildfire



Study questions

How does pre-drought density reduction influence...

mortality patterns?

recovery potential?


Study design

- Paired treated* vs. untreated stands
- Sampled 10 sites, 158 plots total (1/8 acre ea)
- Plot data collected 2017
- Three National Forests and Yosemite NP
 - Ponderosa pine and dry mixed conifer forests




*Mechanical thinning and/or prescribed burning (one or multiple entries)

Study plots



Sierra NF


Post-drought stand density




Species composition

In high-mortality areas








Future forests?

Severe drought in an untreated stand

• High mortality • Low-moderate overstory density • Shade-tolerant overstory and regen.



Severe drought in a treated stand


Lower (but still high) mortality • Low overstory density • Hardwood-pine overstory and regen.




Drought as a restoration treatment?


Treated, pre-drought

Untreated, pre-drought






Untreated, post-drought







Acknowledgments

- Field crews & assistance
 - Chris Preston, Ruthie Schnitt, Julia Berkey, Sarah Russell
 - Beverly Bulaon
- Funding
 - US Forest Service Forest Health Protection
 - US Forest Service Pacific Southwest Region





